

Remove-SqlCloneImage

Remove-SqlCloneImage

Starts deleting an image.

Syntax

```
Remove-SqlCloneImage [-Image] <ImageResource> [<CommonParameters>]
```

Description

The Remove-SqlCloneImage cmdlet starts deleting a SQL Clone image and outputs details of the deletion operation.

This cmdlet returns a OperationResource which can be passed to the Wait-SqlCloneOperation cmdlet.

Any clones of the image must be deleted before the image can be deleted.

Connect-SqlClone must be called before this cmdlet.

Parameters

-Image <RedGate.SqlClone.Client.Api.Objects.ImageResource>

Specifies the image to delete. The Get-SqlCloneImage cmdlet can be used to get an ImageResource.

Aliases	None
Required?	true
Position?	0
Default Value	None
Accept Pipeline Input	true (ByValue)
Accept Wildcard Characters	false

<CommonParameters>

This cmdlet supports the common parameters: -Verbose, -Debug, -ErrorAction, -ErrorVariable, -OutBuffer, and -OutVariable. For more information, see <http://technet.microsoft.com/en-us/library/hh847884.aspx>.

Inputs

The input type is the type of the objects that you can pipe to the cmdlet.

- **RedGate.SqlClone.Client.Api.Objects.ImageResource**

Specifies the image to delete. The Get-SqlCloneImage cmdlet can be used to get an ImageResource.

Return values

The output type is the type of the objects that the cmdlet emits.

- **RedGate.SqlClone.Client.Api.Objects.OperationResource**

Examples

----- EXAMPLE 1 -----

```
$ImageToDelete = Get-SqlCloneImage -Name 'ImageToDelete'  
Remove-SqlClone -Image $ImageToDelete
```

This example deletes an image with the name 'ImageToDelete'.

----- EXAMPLE 2 -----

```
Get-SqlCloneImage -Name 'ImageToDelete' | Remove-SqlClone | Wait-SqlCloneOperation
```

This example uses the pipeline operator to delete the image 'ImageToDelete' and waits for the operation to complete before returning.